



A Product of DuPont Dow Elastomers

Nordel® IP 3430

This amorphous, very low diene containing ethylene-propylene terpolymer (EPDM) is suitable for peroxide cured articles.

Nordel® IP 3430 can also be blended with butyl rubber to improve processing and vulcanizate properties of automotive and cycle tire innertubes.

Storage and Handling

The quality of EPDM products may be affected by exposure to artificial or natural light. This product should be stored indoors in its original packaging and out of direct sunlight.

Typical Polymer Properties*

Property	Value	Test Method
Mooney Viscosity ML 1 + 4 at 125°C	27	ASTM D-1646
Composition		
Ethylene, mass%	42.0	ASTM D-3900
Propylene, mass%	57	ASTM D-3900
ENB, mass%	0.75	ASTM D-6047
Molecular Weight Distribution	Narrow	DuPont Dow PQ-E-034 and 036
Product Density, g/cc	0.86	ASTM D-297
Residual Transition Metal, ppm	10 max.	DuPont Dow
Ash Content, mass%	0.1 max.	ASTM D-5667
Total Volatiles, mass%	0.4 max.	DuPont Dow PQ-E-007
Product Form		bale

*These data are provided for description only and are not intended to serve as sales specifications.

For further information on Nordel® IP or other elastomers please contact one of the addresses below, or visit us at our website at www.dupont-dow.com

USA – Global Headquarters

DuPont Dow Elastomers L.L.C.
300 Bellevue Parkway, Suite 300
Wilmington, DE 19809
Tel. +1-800-853-5515
+1-302-792-4000
Fax +1-302-792-4450

Austria

Dolder GmbH
Brucknerstrasse 6/2/5A
A-1040 Wien
Tel. +43-1-504 21 80
Fax +43-1-504 21 93

Benelux

N.V. Sepulchre S.A.
19, av. des Nénuphars
B.P. No. 6
B-1160 Bruxelles
Belgium
Tel. +32-2-672 23 35
Fax +32-2-673 67 82

Denmark

Nordica A/S
Pilestraede 43
Postbooks 2241
DK-1019 Kobenhavn K
Tel. +45-3315 2855
Fax +45-3315 2161

Geneva – European Headquarters

DuPont Dow Elastomers S.A.
2, chemin du Pavillon
CH-1218 Le Grand-Saconnex,
Geneva, Switzerland
Tel. +41-22-717 4000
Fax +41-22-717 4001

Finland

Oy Algol AB
Nuutisarankatu 15
FI-33900 Tampere
Tel. +358-3-266 1948
Fax +358-3-266 0212

France

Safic-Alcan
Département
DuPont Dow Elastomers
3, rue Bellini
F-92806 Puteaux Cedex
Tel. +33-1-46 92 64 32
Fax +33-1-46 67 04 42

Germany

DuPont Dow Elastomers GmbH
DuPont Strasse 1
D-61343 Bad Homburg
Tel. +49-6172-87 13 55
Fax +49-6172-87 13 51

Italy

Dolder-Massara
Via Caduti Bollatesi 38/b
20021 Bollate (MI) Italy
Tel. +39-02-350081
Fax +39-02-38300725

South & Central America Headquarters

DuPont Dow Elastomers Ltda.
Alameda Itapecuru, 506 - Sala 12
Alphaville - Barueri - SP
CEP 06454-080
Brasil
Tel. +55-11-4166-8978
Fax +55-11-4166-8989

Portugal

Safic-Alcan Portugal Lda.
Rua D. Marcos da Cruz 1351
P-4455-482 Perafita
Tel. +351-22-999 82 90
Fax +351-22-996 39 27

Spain

Safic-Alcan Espana, S.A.
Division Isisa
Rocafort, 241-243
E-08029 Barcelona
Tel. +34-93-322 04 53
Fax +34-93-410 69 78

Sweden

Nordica Elastomers AB
Hamntorget 1
P.O. Box 10104
S-43422 Kungsbacka
Tel. +46-300-73 250
Fax +46-300-73 251

Switzerland

Dolder AG
Immengasse 9
CH-4004 Basel
Tel. +41-61-326 66 00
Fax +41-61-322 47 81

Singapore – Asia Pacific Headquarters

DuPont Dow Elastomers Ltd.
1 Maritime Square #10-54
World Trade Center
Singapore 099253
Tel. +65-6275 9383
Fax +65-6275 9395

DuPont Dow Elastomers Ltd.
Dempa Bldg. 3F
Higashi-gotanda, 1-chome
Shinagawa-ku
Tokyo, Japan 141-0022
Tel. +81-3-3444-5166
Fax +81-3-3444-6095

The information set forth herein is furnished free of charge and is based on technical data that DuPont Dow Elastomers believes to be reliable. It is intended for use by persons having technical skill, at their own discretion and risk. Handling precaution information is given with the understanding that those using it will satisfy themselves that their particular conditions of use present no health or safety hazards. Because conditions of product use and disposal are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. As with any material, evaluation of any compound under end-use conditions prior to specification is essential. Nothing herein is to be taken as a license to operate under or a recommendation to infringe on any patents.

CAUTION: Do not use in medical applications involving permanent implantation in the human body. For other medical applications, discuss with your DuPont Dow Elastomers customer service representative, and read Medical Caution Statement, H-69237.

Nordel® is a registered trademark of DuPont Dow Elastomers.

INSITE™ is a trademark of The Dow Chemical Company.

Copyright © 2002 DuPont Dow Elastomers. All Rights Reserved.

